CYGNUS BUSINESS MEDIA

Winter 2010

BIG BOOK

www.SecurityInfoWatch.com

THE SECURITY INDUSTRY'S PRODUCT GUIDE

SARGENT® Passport 1000 Campus Access Control Solution



Designed specifically for campus environments, the Passport 1000 Series from SARGENT provides a "one card" solution, using magnetic stripe, proximity card reader and PIN code technologies for customized access to facilities. Available in WiFi and PoE versions, these products use ASSA ABLOY's PERSONA Campus™ software or approved third-party software to integrate seamlessly into existing enterprise, transactional and housing systems, providing comprehensive, reliable access control. The Passport 1000 locks take advantage of existing network infrastructure to provide advanced security and easier, more cost-effective installations.

The Passport 1000 P1 Power over Ethernet (PoE) solution offers simple, secure, online campus access control. An online ANSI/BHMA Grade 1 lock utilizing PoE technology, the Passport 1000 P1 connects to the building's Ethernet network and can make decisions locally. Open standard cable and PoE-enabled equipment allows easy and cost-effective installations. Real-time door status monitoring and lockdown capable, the P1 is available in exit device, mortise and cylindrical lock configurations.

The Passport 1000 P2 intelligent WiFi lock provides access control for hard-to-secure locations. Using an 802.11b/g WiFi network, the Passport 1000 P2 ANSI/BHMA Grade 1 lock connects as frequently as the user specifies to maintain its local list of up to 2,400 users. Available in exit device, mortise and cylindrical lock configurations, it offers real-time door status monitoring and configurable alarm notifications.

Select eInquiry #500

SARGENT

ASSA ABLOY

www.sargentlock.com

Access Control that's Ideal for Small Businesses

Small- to-medium-sized businesses need effective access control just as much as larger enterprises. Honeywell's new NetAXS-123 is a standalone, Web-based access control system designed especially for businesses that need a simple and affordable way to secure a limited number (one, two or three) of doors. Its superior scalability means companies can now obtain the right amount of access control they need, and easily expand the system as needs change. It also helps companies save time and money by reducing or eliminating costs associated with PC-based systems such as servers and software licenses.

A small enclosure enables installation right on a door, with no external PC server needed. NetAXS-123 allows users to manage their systems anywhere there's an Internet connection, with no dedicated PC costs — and the user-friendly design makes it simple to install and easy to operate and maintain:

- A web browser allows multiple users to manage the system from any location and avoid potential hardware issues.
- Users can monitor and view live events while manually controlling doors and card readers.
- The system offers enclosures and add-on boards for up to four doors, and many features are designed to provide quick and easy installation.
- The control panel includes Power over Ethernet (PoE) and 12 VDC powering capabilities, and a built-in tamper switch.

Select eInquiry #501

Honeywell

www.honeywellaccess.com

SALTO AElement

AElement is a new RFID hotel lock from SALTO. Developed specifically for the hotel market, it provides a fully integrated, real-time security solution that enables you to combine your entire guest hospitality needs into one stylish, energy efficient and reliable wire-free locking system.

Easy to use and easy to install, it is a stunning piece of design that's packed with SALTO's new DNA technology. It can control the security of the entire building from a single location, including granting access privileges to individual rooms and gathering audit trail data from every door in real time — all without leaving the front desk.

With AElement, all locks are designed to be wireless ready right out of the box — you just decide whether the function is activated or not.

Simply choose the mode of operation you want: "Wireless on-line" or "Wireless ready." If you choose "Wireless on-line," your locks are on-line and communicate in real-time with the server. This gives you real-time control over the entire building.

If you chose "Wireless ready," your locks communicate with the server daily on differed-time communication mode. Wireless ready locks can be "switched" to real-time "Wireless on-line mode" at any time. Just plug in the USB-sized RF communication antenna and you are ready to go.

Select eInquiry #502

SALTO

inspiredaccess

www.saltosystems.com

Intransa VideoAppliance™

Simplify your physical security with Intransa VideoAppliance™. Each modular Intransa VideoAppliance™, the Best in Video Storage & Distribution winner at ISC West 2010, comes preloaded with your choice of applications from two dozen leading security vendors like AMAG, Axis, Genetec, Lenel, Milestone, OnSSI, Pelco, and many more.

For simplified video surveillance, analytics or access control — or all three simultaneously — each Intransa appliance eliminates 1-4 complex, expensive and power-consuming commodity servers and supporting storage… shrinking cost and complexity.

Each Intransa VideoAppliance™ sets itself up in 5 minutes or less, delivering your choice of standard Windows 7, Server 2003 or Server 2008 environments. It is tested and certified with hundreds more physical security applications for risk-free installation. No matter how many Intransa VideoAppliances™ you use, they are managed as one with the simple, powerful VSA System Center console, part of patented Intransa Video and Data Management & Retention™ (VDMR) technology.

Other features of Intransa VDMR:

- VSOP video optimization shrinks the amount of storage required while improving reliability and responsiveness;
- VSA Energy Manager, shrinks power consumption by 40%;
- VSA Tiered Availability delivers Standard to High Availability configurations for the most challenging environments without extra cost;
- Grow from 2 to 96TB of recording/data storage capacity with full RAID protection against data or video loss, 24x7x365.

That's Smart. That's Intransa VideoAppliance™ to simplify your physical security.

Select eInquiry #503

intransa

www.intransa.com

TABLE OF CONTENTS

Winter 2010

ACCESS CONTROL ..... Pages 4-6

VIDEO SURVEILLANCE ..... Pages 7-9

DOOR HARDWARE ..... Pages 10-12

PERIMETER SECURITY ..... Page 13

ALARMS & INTRUSION DETECTION ..... Page 14

INTEGRATED SYSTEMS ..... Page 15

LOCKS, KEYS & AUTOMOTIVE PRODUCTS ..... Pages 16-17

FIRE & LIFE SAFETY ..... Page 18

EMERGENCY COMMUNICATIONS ..... Page 18

ADVERTISER'S INDEX

Advertiser	RS#	Page #
Ameristar Fence *www.ameristarfence.com, (800) 321-8724*	406	B13
Brivo Systems, LLC *www.brivo.com, (866) 692-7486*	410	B19
Detex *www.detex.com, (800) 729-3839*	405	B12
Digitlocks Inc *www.digitlocks.com, (714) 465-4580*	407	B15
Intransa *www.intransa.com, (866) 466-8726*	402	B7
Lockmasters Inc *www.lockmasters.com, (800) 654-0637*	404	B11
LSI - education *www.lsieducation.com, (859) 887-9633*	408	B16
MorphoTrak *www.morphotrak.com (800) 601-6790*	401	B5
Optex inc. *www.optexamerica.com (909) 993-5770*	403	B9
Sargent Manufacturing Company *www.sargent.com (800) 727-5477*	400	B2
Security Lock Distributors *www.seclock.com (800) 847-5625*	411	B20
STRATTEC Security Corp. *http://aftermarket.strattec.com (414) 247-3333*	409	B17

ABOUT THE eINQUIRY SYSTEM: *If you are interested in receiving direct information from individual vendors about one or more of the products or advertisers listed in this magazine, please visit www.securityinfowatch.com/ste/einquiry and input the corresponding eInquiry number. Locksmith Ledger subscribers may use either the Web portal, or use the Reader Service card located in your December Directory issue to circle the numbers.*

CYGNUS BUSINESS MEDIA

The Big Book

is a publication of Cygnus Business Media
3 Huntington Quadrangle, Suite 301N.,
Melville, NY 11747 USA
Phone: (631) 845-2700 • Fax: (631) 845-2736
and is a supplement to *Locksmith Ledger*, *Security Dealer & Integrator* and *Security Technology Executive* magazines.

Editorial

Managing Editor ..... Paul Rothman
Editor, *Locksmith Ledger* ..... Gale Johnson
Editor, *Security Dealer & Integrator* ..... Deborah O'Mara
Editor/Publisher, *Security Technology Executive* ..... Steve Lasky

Art & Production

Art Director ..... Elizabeth C. Barbieri
Production Manager ..... Jane Pothlanski

Publishers

Publisher, *Locksmith Ledger* ..... Nancy Levenson-Brokamp
Publisher, *Security Dealer & Integrator* ..... Carol Enman
Publisher, *SecurityInfoWatch.com* ..... Julie Purdie
Publisher, *Security Technology Executive* ..... Steve Lasky

Sales Contacts

South/Mid-Atlantic Sales, *SD&I, STE, SIW.com* ..... Jack Eller
jack.eller@cygnusb2b.com
Northeast/Midwest Sales, *SD&I, STE, SIW.com* .... John Lacasale
john.lacasale@cygnusb2b.com
Western U.S. Sales, *SD&I, STE, SIW.com* ..... Bobbie Ferraro
bobbie.ferraro@cygnusb2b.com
Sales, *Locksmith Ledger* ..... Ryan Olson
ryan.olson@cygnusb2b.com
Classified Sales ..... Erica Finger
erica.finger@cygnusb2b.com
European Sales ..... Henry Lott
henry@gms-uk.co.uk

SecurityInfoWatch.com Contacts

Editor-in-Chief ..... Geoff Kohl
geoffrey.kohl@cygnusb2b.com
Assistant Editor ..... Joel Griffin
joel.griffin@cygnusb2b.com
Site Manager ..... Rob Hammond
rob.hammond@cygnusb2b.com

Other Contacts

List Rental ..... Elizabeth Jackson
ejackson@meritdirect.com
Content Licensing ..... Patrick Nadler
patrick.nadler@cygnusb2b.com
Audience Development Manager ..... Wendy Chady
wendy.chady@cygnusb2b.com

Subscriptions Customer Service

Toll-Free (877) 382-9187; Local (847) 559-7598
Email: Circ.SecTechExec@omeda.com

Reprints

To purchase reprints please contact The YGS Group
at (717) 505-9701 Ext. 128
or e-mail cygnusreprints@theygsgroup.com

Cygnus Business Media

CEO ..... John French
CFO ..... Paul Bonaiuto
VP Manufacturing ..... Tom Martin
Human Resources ..... Ed Wood
VP Custom Marketing ..... Patrick Nadler
VP Audience Development ..... Julie Nachtigal
VP Corporate ..... Elizabeth Pennell
Corporate IT Director ..... Eric Kammerzelt

Cygnus Publishing

President ..... Mike Martin
Corporate Production Director ..... Brett Apold

Cygnus Expositions

Senior VP/Interim Head ..... Julie Thompson

PRINTED WITH SOY INK

Trilogy Networx™ Access Locks

Alarm Lock, manufacturer of popular Trilogy Standalone Access Locks, has expanded its Trilogy Networx™ Lock line for more models to cover more door and exit-trim applications.

While still offering quick, convenient money-saving deployment like the original Trilogy®T2, unlike their standalone predecessors, Trilogy Networx eliminate door-to-door operations, such as programming up to 5,000 users and/or audit trail collection, by communicating wirelessly via Ethernet or 802.11. Additionally Networx offers new global network-wide features, including system-wide global lockdown/unlock in under 10 seconds from any lock or the network's PC and Remote Management via VPN-connection.

In Trilogy's dependable tradition, Networx models offer unsurpassed battery-life, exceeding 5 years. In fact, up to 2,000 locks and a PC communicate wirelessly, AES-encrypted thru a 900MHz bidirectional gateway for equipment savings. There's no

wiring; no repeaters; no hardwiring to server; no extra power supplies and no access panels.

During installation, for immediate usage, Networx can be set up by physical security staff as standard Trilogys and networked by IT later. And for applications with Trilogys already on the scene, they will all share one common database using downloadable license-free Trilogy DLWINDOWS Software.

Ask for Trilogy Networx in PIN or PIN/HID Prox models for virtually all door and trim types. For more info. call Alarm Lock 1-800-ALA-LOCK or go to www.alarmlock.com/Networx.html

Select eInquiry #504

ALARM LOCK

www.alarmlock.com/Networx.html

New "Green" Electronic Lock Does Not Require Wires or Batteries

Kaba Access Control introduces its new generation of self-powered electronic access control — the E-Plex® 2000 Series with PowerStar™ technology. The patented PowerStar™ technology charges the lock with each turn of the lever, thereby eliminating the need to ever buy or replace any batteries. Additionally, there is no wiring to, or through the door.

To operate the E-Plex® 2000 with PowerStar™, you simply turn the lever to power-up the electronics, and then enter your valid access code. Turn the lever again to gain access.

Because there are no batteries to replace that would eventually end up in landfills, the E-Plex® 2000 Series with PowerStar™ technology is a "greener" choice than other electronic options. Also, since there is no external wiring, installation is easy and reliable over time.

In addition, the lock is fully ROHS (Restriction of Hazardous Substances) compliant — meaning that it is free of toxic metals such as mercury, lead, cadmium, etc. The E-Plex® 2000 with PowerStar™ will be available in Cylindrical, Mortise and Exit trim(s). Up to 100 user codes can be enrolled into the lock at any given time. Other programmable features include, passage, lockout, tamper shutdown, and service codes.

To find out more about the E-Plex® 2000 with PowerStar, please consult with a Kaba E-Plex® Distributor, visit www.kabaaccess.com, or call 800-849-8324 or 336-725-1331.

Select eInquiry #505

KABA®

www.kabaaccess.com

SALTO AElement

AElement is a new RFID hotel lock from SALTO. Developed specifically for the hotel market, it provides a fully integrated, real-time security solution that enables you to combine your entire guest hospitality needs into one stylish, energy efficient and reliable wire-free locking system.

Easy to use and easy to install, it is a stunning piece of design that's packed with SALTO's new DNA technology. It can control the security of the entire building from a single location, including granting access privileges to individual rooms and gathering audit trail data from every door in real time — all without leaving the front desk.

With AElement, all locks are designed to be wireless ready right out of the box — you just decide whether the function is activated or not.

Simply choose the mode of operation you want: "Wireless on-line" or "Wireless ready." If you choose "Wireless on-line," your locks are on-line and communicate in real-time with the server. This gives you real-time control over the entire building.

If you chose "Wireless ready," your locks communicate with the server daily on differed-time communication mode. Wireless ready locks can be "switched" to real-time "Wireless on-line mode" at any time. Just plug in the USB-sized RF communication antenna and you are ready to go.

Select eInquiry #506

SALTO
inspiredaccess

www.saltosystems.com

SARGENT® Profile Series IP-Enabled Access Control Solutions

The SARGENT Profile Series v.S1 (PoE) and v.S2 (WiFi) IP-Enabled Locks take advantage of existing network infrastructure to provide advanced security and easier, more cost-effective installations. Available in exit device, mortise and cylindrical lock configurations, they offer reliable communication, advanced management capabilities, and real-time alarm notification.

The Profile Series v.S1 and v.S2 locks feature ANSI/BHMA Grade 1 hardware and are available with HID® 125 kHz proximity or 13.56 MHz iCLASS® technology, and optional keypad.

The SARGENT Profile Series v.S1 brings the power of the network to door hardware. It uses IEEE 802.3af Power over Ethernet (PoE)-enabled network infrastructure for both power and data and provides the same real-time communication as traditional access control. Non-proprietary cable, PoE switches, and midspans facilitate cost-effective installations.

The Profile Series v.S2 intelligent

WiFi locks offer the ability to extend the reach of your access control systems using a building's existing 802.11b/g WiFi infrastructure.

The v.S2 offers complete access control functionality and is ideal for locations where it would be difficult or cost-prohibitive to install a wired lock.

Select eInquiry #507

SARGENT
ASSA ABLOY

www.sargentlock.com

Wireless Digital Locks

SimonsVoss Technologies offers the most power-efficient locks available, featuring only two small coin-cell batteries that last for 150,000 operations. The ingenious battery management system ensures that you are never locked out because of battery failure. Each lock provides timed operation, audit records and multi-level access control and is operated wirelessly with an active transponder, passive card reader or keypad. All access decisions are made at the lock and the locks operate as standalone devices or as part of a wireless or wired network. SimonsVoss Technologies has now been confirmed as a leading supplier of electronic locks in a recent study by the renowned market research company IMS Research. More than 7,000 systems installed all over the world have proven the quality of our products and the validity of our technology. **www.simons-voss.us**
Select eInquiry #508



Brivo's ACS WebService

At Brivo Systems, we have been building and selling ACS WebService®, our Software as a Service application for security management, since 2001 — well before other access control system manufacturers finally got the message that the "cloud" is the way to go. ACS WebService gives you:

- "On-demand" administration — manage the entire system over the Internet anywhere, anytime.
- A flexible system with unlimited growth potential, unconstrained by geography.
- Redundant, geographically dispersed hosting centers operated by professionals.
- Intuitive browser-based interface — no software, servers or dedicated PCs to manage.
- Audited information security practices (SAS 70) ensure integrity and compliance.

For more information or a no-obligation online demonstration, call Brivo at 1-866-692-7486, option 1 or e-mail us at demo@brivo.com, or visit **www.brivo.com/bigbook**.
Select eInquiry #509

MorphoAccess Fingerprint Readers

The MorphoAccess range of fingerprint readers from MorphoTrak provides a single solution for securely managing physical access control and Time & Attendance throughout your business. The MorphoAccess range is the culmination of more than 35 years experience in world-leading biometric technology designed to handle even the most damaged fingerprints and the toughest working environments where other biometric solutions simply cannot compete. From outdoor, IP65-rated readers, to readers for individual rooms, the MorphoAccess range will securely manage employees and visitors across all your workplace environments. The MorphoAccess range provides the ultimate combination of speed, accuracy, capacity, integrity and security. Visit **www.morphotrak.com** to learn more about the benchmark against which all other biometrics should be measured.
Select eInquiry #510


take a
closer
LOOK
MorphoAccess 500 +
Outdoor version also available
MorphoAccess J series
More than
just another
fingerprint reader
The technology and performance trusted by the FBI, Interpol and 50% of U.S. State and Local Law Enforcement, is at the heart of every MorphoAccess reader. The proven, accurate, reliable fingerprint solution: MorphoTrak - Trusted by the best for over 35 years.
www.morphotrak.com sales.bioterminals@morphotrak.com
MorphoTrak
SAFRAN Group

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #401 for more information

SARGENT® Passport 1000 Campus Access Control Solution



Designed specifically for campus environments, the Passport 1000 Series from SARGENT provides a "one card" solution, using magnetic stripe, proximity card reader and PIN code technologies for customized access to facilities.

Available in WiFi and PoE versions, these products use ASSA ABLOY's PERSONA Campus™ software or approved third-party software to integrate seamlessly into existing enterprise, transactional and housing systems, providing comprehensive, reliable access control. The Passport 1000 locks take advantage of existing network infrastructure to provide advanced security and easier, more cost-effective installations.

The Passport 1000 P1 Power over Ethernet (PoE) solution offers simple, secure, online campus access control. An online ANSI/BHMA Grade 1 lock utilizing PoE technology, the Passport 1000 P1 connects to the building's Ethernet network and can make decisions locally. Open standard cable and PoE-enabled equipment allows easy and cost-effective installations. Real-time door status monitoring and lockdown capable, the P1 is available in exit device, mortise and cylindrical lock configurations.

The Passport 1000 P2 intelligent WiFi lock provides access control for hard-to-secure locations. Using an 802.11b/g WiFi network, the Passport 1000 P2 ANSI/BHMA Grade 1 lock connects as frequently as the user specifies to maintain its local list of up to 2,400 users. Available in exit device, mortise and cylindrical lock configurations, it offers real-time door status monitoring and configurable alarm notifications.

Select eInquiry #511

SARGENT
ASSA ABLOY
www.sargentlock.com

Access Control that's Ideal for Small Businesses

Small- to-medium-sized businesses need effective access control just as much as larger enterprises.

Honeywell's new NetAXS-123 is a standalone, web-based access control system designed especially for businesses that need a simple and affordable way to secure a limited number (one, two or three) of doors.

Its superior scalability means companies can now obtain the right amount of access control they need, and easily expand the system as needs change. It also helps companies save time and money by reducing or eliminating costs associated with PC-based systems such as servers and software licenses.

A small enclosure enables installation right on a door, with no external PC server needed. NetAXS-123 allows users to manage their systems anywhere there's an Internet connection, with no dedicated PC costs — and the user-friendly design makes it simple to install and easy to operate and maintain:

- A Web browser allows multiple users to manage the system from any location and avoid potential hardware issues.
- Users can monitor and view live events while manually controlling doors and card readers.
- The system offers enclosures and add-on boards for up to four doors, and many features are designed to provide quick and easy installation.
- The control panel includes Power over Ethernet (PoE) and 12 VDC powering capabilities, and a built-in tamper switch.

Select eInquiry #512

Honeywell
www.honeywellaccess.com

Direct-to-Card Printer/Encoders

HID Global has introduced a new line of direct-to-card (DTC) FARGO printer/encoders for personalized identity badges. The new product line encompasses three models: The DTC1000 entry-level printer for small organizations; the professional-level DTC4000 printer for small- to medium-size organizations with greater security and scalability requirements; and the advanced DTC4500 professional printer for large corporations and government organizations with high-volume needs. All three printers feature intuitive graphical interfaces, the Swift ID embedded badging application and a single-port (USB or Ethernet) connection for advanced inline printing and encoding.

www.hidglobal.com
Select eInquiry #513



Access Control & Event Management

Software House, a part of Tyco Security Products, has added critical security functionality to the latest version of its C•CURE 9000 security and event management system. C•CURE 9000 v1.93 offers more control over who goes where and when, thus creating a more secure environment for employees and visitors, and enhanced safeguarding of confidential information. New security features include: occupancy restrictions (limits the number of people in a given area to protect highly classified information and adhere to occupancy guidelines); N Man Rule (requires more than one person to present a card in order for access to be granted); and clearance filters (adjust clearance levels based on changes in threat level or other emergency situations). www.swhouse.com
Select eInquiry #514

Mifare Card Reader

Paxton Access has developed its Energy saving reader to accept Mifare tokens, making it suitable for a range of environments. The reader accepts an authenticated Mifare card to switch on power to utilities and electrical equipment. Once a card has been detected, the reader toggles a relay that switches on lights, heating and air-conditioning, and more. This straightforward, energy-saving concept works because a user has to remove the proximity card from the reader in order to move freely around a site. This is perfect for sites that want to save money on energy bills. Controlling who can operate factory machinery is also easy. Equipment can only be used once the reader recognizes the presence of an authorized card. This restricts the use of machinery to trained staff. www.paxton.co.uk
Select eInquiry #515



Contactless Campus Card Applications

Ingersoll Rand Security Technologies, manufacturer of Schlage contactless credentials and readers, and Heartland Campus Solutions, have partnered to offer next-generation contactless applications for the campus OneCard market. The offering provides customers with a more open and secure contactless solution. The system offers an array of campus applications — from access control and cafeteria point-of-sale (POS) services to library, parking, event handling and more — with added security and the convenience of contactless smart credential technologies. w3.securitytechnologies.com
Select eInquiry #516

Universal Plug-and-Play DVR

Specifically engineered to simplify network implementation, NUVICO introduces the next generation H.264 video compression APEX™ Lite series DVRs, which come with built-in UPnP that supports automatic discovery and zero-configuration for seamless integration and connectivity of your local network to the Internet. Simply connect the router to your local network then activate the UPnP feature from your DVR. It is just that easy. Available in 4-, 8-, and 16-channel models, the AL series offer max frame rate of 480pps in CIF resolution and compatibility with all types of popular smart phones, such as Android, Blackberry and iPhones. The DVRs are Mac-compatible and come with industry-exclusive Multi-layer Streaming™ technology, a feature that optimizes remote digital video monitoring performance.
www.nuvico.com
Select eInquiry #517

Speco Technologies Is Clearly HDcctv™

Speco Technologies HDcctv™ digital cameras deliver high definition and high speed digital video over coax. The installation requirements for these cameras do not differ from the requirements for normal resolution analog cameras. Therefore, end-users receive all the benefits of high resolution video with no networking, compression or bandwidth issues. HDcctv delivers exceptional resolution and color reproduction which is great for viewing a face, identifying a license plate in the distance or using a single camera to cover a large area. Weatherproof protection features and IR lighting allows for day/night operation. Speco Technologies HDcctv cameras are available in bullet, dome and traditional versions with a variety of mounting options.
www.spectotech.com
Select eInquiry #518

CHRONO Series DVR

VITEK Industrial Video Products Inc. has introduced the CHRONO Series DVR, which features an innovative new concept in DVRs. Boasting the latest H.264 compression with built-in data redundancy, direct connect POS and real-time recording and playback, this DVR is best in its class. The system Setup Wizard and User Friendly GUI make this an easy product to install. The quality your clients crave without the headaches. Available in 8-channel and 16-channel versions with up to 6TB internal storage. Call your local factory representative to inquire about a product demonstration. **www.vitekcctv.com**
Select eInquiry #519

intransa
The Smart Way to Today's Best Physical Security… Intransa VideoAppliance™
• Powerful, scalable, modular appliances designed for physical security demands… & that install in 5 minutes or less
• Patented Intransa VDMR™ technology eliminates 2 – 4 complicated commodity IT servers & storage systems with a single appliance for access control, video analytics & video surveillance
• Choose from over two dozen preloaded applications from the security industry's leading software vendors, certified for risk-free integration with hundreds more
• Select the ideal platform from a range of modular appliances to support a few IP cameras & access readers or to support thousands
• Slash energy consumption & HVAC needs, cut equipment needs, & eliminate operational complexity
1
Choose the model that fits your project and order from your security dealer
2
Unpack the box
3
Plug it in and turn it on
4
After 2-3 minutes, enter supplied default password
5
Insert media kit for access control, video management or analytics
6
Activate software and follow application vendor instructions
10 GbE
AMAG
Genetec
LENEL
milestone
OnSSI
PELCO
Intransa, the VideoAppliance™ Company
10710 N. Tantau Ave., Cupertino, CA 95014
www.intransa.com | sales@intransa.com
866.446.8726 or +1.408.678.8600
Follow Flexi,
Intransa's Flexible Green-Guy on Facebook, LinkedIn & Twitter or email him at FGG@intransa.com

VIDEO SURVEILLANCE

Optex iVision: Two-Way Intercom System with Video

Security should be more than just protection; it should be peace of mind as well. The new iVision from Optex achieves both by giving you the ability to not only know when somebody is outside your home, but to view and talk to them from the safety and comfort of any location in the house. The iVision package includes a convenient handheld wireless receiver with LCD monitor and battery operated doorbell/camera unit with a more than 300-ft. transmission range. In addition, the doorbell/camera unit can be hardwired into an existing doorbell power supply.

www.optexamerica.com
Select eInquiry #520

Tane Alarm Mini Test Monitor

The Tane TV-330 is a portable and convenient TV test monitor. It can test camera video, and controls RS422 and 485 pan tilt and zooms with its 20 built-in protocols. It has a built-in color generator and volt-ohm meter and can test category 5 and 6 cables for pin configuration. It also has a 12V DC output to power up cameras during set up. The easy-to-use on-screen displays identify problems quickly and efficiently. This CCTV TESTER is a dependable tool for ensuring trouble-free installations. Dimensions are 2" depth by 3.5" wide by 6.3" length with a easy-to-see 2.5" screen. Advantages include a shade flap to see outdoors as well as a lanyard built in to keep it from dropping. For more information, e-mail info@tanealarm.com or call 516-328-3351.

www.tanealarm.com
Select eInquiry #521

TANE ALARM PRODUCTS
"We Contact The World"

HAWK-I Quantum Light Series

The Quantum Light Series from Hawk-I Security require no light, even without infrared. The cameras feature "Quantum Light" technology, which is the ability to see in little or no light with or without Infrared.

The Motorized Zoom Series (HAWK-QLAZB1 - Bullet; HAWK-QLAZD4 - Dome; HAWK-QLAZHD8 - Hybrid Dome) features a 2.8-10mm Lens with Auto focus that enables the camera to always remain in focus. Other features include 650 Lines of Resolution in Color, Sony Super-Had chip, Weatherproof and Tamperproof, and 12V DC/ 24V AC with auto sensing technology. On-Screen Display allows the user to set the functions of the camera. It also features a wired remote control which allows the user/installer to manage all functions, including setting the zoom feature.

In addition, all functions can be controlled if the camera is hooked up to a DVR through the included RS-485 Connection including Zoom.

The Vari-Focal Series features either a 2.8-11mm or 6-50mm Auto Iris that is easily adjustable. Other features include 650 Lines of Resolution in Color, Sony Super-Had chip, Weatherproof and Tamperproof, 12V DC/ 24V AC with auto sensing technology. They also feature the same On-Screen Display and wired remote control. They are available with and without Infrareds.

Models include: HAWK-QLVXB2 -- Bullet with 2.9-11mm Lens; HAWK-QLVXIR2 - Bullet with 2.9-11mm & 36 IR Led's; AWK-QLVXB6 - Bullet with 6-50mm Lens; HAWK-QLVXIR6 - Bullet with 6-50mm Lens & 60 IR Led's; and HAWK-QLVXIR6W - Bullet with 6-50mm Lens & 60 IR Led's, White.

All Quantum Light Cameras are manufactured from extruded aluminum.

Select eInquiry #522

Hawk-I Security Incorporated
www.hawkisecurity.com

Intransa VideoAppliance

Simplify your physical security with Intransa VideoAppliance™. A single modular appliance, winner of Best in Video Storage & Distribution at ISC West 2010, comes preloaded with applications from 23 leading security vendors. For video surveillance, analytics or access control, or all three simultaneously, each appliance eliminates 1-4 complex, expensive and power-consuming commodity servers and supporting storage. Sets itself up in minutes, delivers standard Windows environments, tested and certified with hundreds of physical security applications for risk-free installation. Individual appliances can grow from 2 to 96TB of recording/data storage capacity, and add additional appliances without limit, yet manage as a single, simple platform. Standard, fault resilient and high availability configurations feature video optimization, energy management and simplified operation.

www.intransa.com
Select eInquiry #523

ALPHA Series Dome Camera

VITEK Industrial Video Products Inc. is pleased to announce an extraordinary addition to our line of products. The ALPHA Series Dome Cameras utilize 620 TV Lines of Hi Resolution and includes advanced OSD functions such as WDR, 3D, DNR, DSS, DIS, Sens-up, Motion Detection and Privacy. These ultra-versatile cameras are available in fixed, varifocal and infrared for both indoor and vandal-resistant outdoor applications (IP68 weather-rated housings) in your choice of ivory or black color. All models contain 3-Axis internal mounting adjustment for optimum viewing angles. Vandal/weather resistant models may be semi-flush or surface mounted. Call your local factory representative to inquire about a product demonstration.

www.vitekcctv.com
Select eInquiry #524

Ultra Wide Varifocal Lens

Theia Technologies has added a new varifocal lens model to its line of ultra wide angle, no distortion, megapixel lenses. The supplier's patented Linear Optical Technology platform enables optical distortion correction and allows more flexibility in camera placement and wide coverage of an area. Designed for 1/3", 1/2.7" and up to 1/ 2.5" image sensors, the lens will provide from 77 to 115 degrees horizontal field of view, with less than 1 percent barrel distortion. In addition, the lens' True Zoom capability enables end-users to set focus once and the image remains in focus while zooming. The lens features a compact length of 50mm from the CS mount, enabling it to fit in most mini-domes.

www.theiatech.com
Select eInquiry #525

PTZ Camera Line

Axis Communications' pan/tilt/zoom (PTZ) products include the AXIS Q6034 PTZ Dome Network Camera (pictured) designed for indoor HDTV deployments; the AXIS P5532 PTZ Dome Network Camera for cost-effective PTZ surveillance for indoor deployments; and the AXIS T8310 Video Surveillance Control Board, enabling simplistic PTZ control for professional surveillance. The Q6034 is the supplier's top-of-the-line PTZ dome camera with HDTV video quality and 18x optical zoom for indoor applications. It provides 18x optical and 12x digital zoom with autofocus. The P5532 is a cost-effective camera for installations that require high zoom, fast pan and tilt performance and event management features. **www.axis.com**

Select eInquiry #526

Intens-IR

Speco Technologies features Intens-IR, Smart IR Technology, in high-resolution IR LED cameras. Intens-IR is a new DSP where close objects look just as sharp as far away objects and you can see super clear pictures in tough lighting situations. Speco's HT7715DNV, HT7815DNV and HT7915DNV weather resistant, color day/night bullet cameras offer this new technology along with 600tvl resolution. The HT-7715DNV (pictured) delivers crystal clear images of 470tvl using sony's EXveiw CCD and is equiped with a 4-9mm Auto Iris Lens. The 7815DNV model features external lens control of zoom and focus, Split Glass Technology to eliminate IR reflections, mechanical day/night IR cut filter and more. The 7915DNV camera offers razor-sharp images and powerful optics. The camera has a 5-50mm Vari focal AI Lens, produces clear 480TVL images and has a 0 Lux night vision ability of up to 100 ft. Other features include compact design, weather- proof construction, built-in heaters and a UTP connection for twisted pair.
www.spectotech.com
Select eInquiry #528

High Definition CCTV

VITEK Industrial Video Products Inc. is proud to announce a revolutionary new concept in the delivery of High Definition Images using existing COAX cable in a standard CCTV installation setting. It provides the image quality your clients crave without the headaches associated with IT and infrastructure limitations. Two versatile camera designs include the conventional box and the Vandal Resistant Mighty Dome. HD-DVR configurations are limitless with the use of our free CMS software. No problematic computer network required, no licensing fees or dropped frames. Call your local factory representative to inquire about a product demonstration.
www.vitekcctv.com
Select eInquiry #529

Megapixel Network Camera

The Panasonic i-PRO WV-SP306 network video surveillance camera offers bandwidth and network traffic management, true day/night operation with ABF (auto back focus), wide dynamic range with ABS (adaptive black stretch) and high sensitivity with DNR (Digital Noise Reduction). The supplier's i-PRO Smart HD technology delivers advanced functionality, including face detection. The 1.3 Megapixel MOS sensor and Uni-Phier LSI processor provide high-resolution images in H.264 High Profile format as well as progressive scan technology to ensure images that are free from motion blur or tearing. The camera supports multiple video streams (H.264/MPEG-4/JPEG), PoE (Power over Ethernet); v. IEEE802.3af and the IPv4/IPv6 network protocol. **www.panasonic.com**
Select eInquiry #530

iVISION
WIRELESS
TWO-WAY INTERCOM
SYSTEM WITH VIDEO
Protection for peace of mind.
Security should be more than just protection…
it should be peace of mind as well. The new iVision
achieves both by giving you the ability to not only know
when somebody is outside your home, but to view and
talk to them from the safety and comfort of any location
in the house.
Introducing The new iVision.
The WIRELESS two way intercom system with video,
from the world leader in security sensors.
DISTRIBUTED BY
OPTEX
800-966-7839 WWW.OPTEXAMERICA.COM
Visit www.securityinfowatch.com/ste/einquiry and select einquiry #403 for more information

DOOR HARDWARE

SALTOGEO Cylinder

The new SALTOGEO electronic cylinder lock is the latest addition to the SALTO stand-alone range of RFID locks.

Fully integrated with the SALTO XS4 platform, SALTOGEO is a versatile, cost-effective solution and its compact size and easy installation make it the ideal electronic locking system for installation to almost every type of door, including wooden doors, metal and metal framed doors and glass doors.

SALTOGEO offers virtual network capability thanks to its SALTO Virtual Network technology as well as a choice of ID credentials.

All communications between the credential and the SALTOGEO cylinder are encrypted and secure and built-in NFC (Near Field Compatibility) compatibility is included on contactless versions.

It provides both acoustic and optical signaling through its stylish light ring, with dual colored green/red indication to visually signify access authorization.

Available in five different finishes, users can choose from satin chrome, polished chrome, PVD polished brass, PVD satin brass and PVD black. So, whether you want a cylinder that can be used with ANSI locks or RIM locks or even need a cylinder for a padlock — SALTOGEO is the answer.

Select eInquiry #531

SALTO
inspiredaccess

www.saltosystems.com

SARGENT® Profile Series v.N2 Lock with Aperio™ Technology

The SARGENT® Profile Series v.N2 lock with Aperio™ technology provides an innovative new approach to online access control. Aperio is a global wireless technology from ASSA ABLOY that makes it easy and cost-effective to expand the number of doors that can be monitored with currently installed access control panels and systems. It utilizes short-distance wireless communication between the lock and a communications hub mounted directly above the door to connect to an online access control system. This eliminates the greatest cost and inconvenience associated with traditional access control — the wiring at the door — without the hassle of complex site surveys.

The Profile Series v.N2 lock combines integrated access control components with ANSI/BHMA Grade 1 hardware and is available in bored lock, mortise lock, and exit device configurations. Real-time authentication, door status changes and configurable alarm notifications allow for immediate response to events at the door.

The v.N2 Aperio-enabled lock requires minimal field configuration and ensures quick, easy wireless deployments. Wireless communication (IEEE 802.15.4) between the v.N2 lock and Aperio hub uses AES 128 encryption to ensure the highest level of security. The v.N2 also supports a variety of 13.56 MHz contactless credentials, including HID® iCLASS® with full authentication in all formats. Additionally, Aperio is the broadest global wireless locking solution, making it ideal for global companies deploying a standard infrastructure across multiple locations.

Select eInquiry #532

SARGENT®
ASSA ABLOY

www.sargentlock.com

Corbin Russwin® Access 800® WI1 Intelligent WiFi Access Control

The Access 800 WI1 from Corbin Russwin is ideal for bringing access control to areas of a building that are cost-prohibitive or challenging to wire. It is a complete solution, integrating all components — including ANSI/BHMA Grade 1 Corbin Russwin hardware, proximity reader and door monitoring — into a single device. The Access 800 WI1's open architecture design simplifies integration with any access control system, and because there are no wires to run, it significantly reduces installation and labor costs.

Using an existing IEEE 802.11 b/g WiFi network and HID 125 kHz-proximity credentials, the Access 800 WI1 offers complete access control features. Capabilities include real-time alarms and local decision-making to ensure operation regardless of network status. It also features advanced data security with standard encryption techniques and is available with keypad for two-factor authentication.

The Access 800 WI1 is offered in ANSI/BHMA Grade 1 cylindrical locks,

mortise locks and exit devices with a variety of finishes and lever styles — standard, Muséo® and Vineyard™ — for a consistent design aesthetic throughout a facility. It uses standard AA batteries for easy, cost-effective deployment and maintenance.

Select eInquiry #533

Corbin Russwin®
ASSA ABLOY

www.corbinrusswin.com

Narrow Stile Exit Devices

DORMA Architectural Hardware has introduced a line of Grade 1 narrow stile exit devices that feature a compact configuration to meet an opening's functional and aesthetic demands. Based on the supplier's workhorse 9000 Series heavy duty devices, the 9600/9700/9800 Series narrow stile devices have been tested beyond 2,500,000 operating cycles—more than five times the ANSI/BHMA 156.3, Grade 1 standard. The exit devices have been designed to easily retrofit DORMA's 5000 series and most other manufacturers' narrow stile devices. The 9600 Series (concealed vertical rod) and 9800 Series (surface vertical rod) narrow stile exit devices use heavy-duty castings for extra durability. The 9700 Series (RIM chassis) features heavy-duty 1020 grade carbon steel casting for a latch bolt static load rating of 1,500 lbs.

www.dorma-usa.com

Select eInquiry #534

Locksets, Panic Devices and Door Closers

Marks USA has introduced the Triple Play of Locksets, Panic Devices and Door Closers.

The most popular of locksets, The AUTO-REVERSE 5 Series Mortise Lock, enables the lock handing to be reversed without removing the lock cover.

The durable Panic Devices have dead-locking latch bolts that minimize forced entry and offer a low-cost solution to life safety requirements. They feature a full-length touchbar, corrosion-resistant, stainless steel heavy-duty gage as the standard.

The versatile Door Closers feature full-range spring power adjustment, providing the flexibility needed to meet the many demands of commercial and institutional applications, including ADA barrier-free accessibility requirements.

www.marksusa.com

Select eInquiry #535

Electronic Cam Lock

Digitlocks Inc. introduces the new DIGIT DL1230 electronic cam lock designed for use on lockers, cabinets, drawers and a variety of other storage enclosures. The DIGIT DL1230 is an easy new installation or retrofit to a standard cam lock preparation. It incorporates a modular spindle that can be changed in the field to allow for mounting the lock on doors from thin sheet metal all the way to 1-inch-thick material. The lock is shipped with both straight and offset cams plus installation and programming instructions. The unit also includes a mechanical key cylinder that provides a backup method to unlock the lock if all else fails. Also included is an easy-to-use set of external battery contacts for a 9V battery to power up the lock in case of internal battery failure.

www.digitlocks.com
Select eInquiry #536

Rim Exit Device

The Delayed Egress Advantex, Rim Exit Device (10xEE) is designed for primary and secondary exits and provides a secure 15-second delay and a 100dB alarm when someone attempts to exit. This 15-second delay allows time for management to respond, before someone exits and the alarm deters the exit from occurring. Per life safety requirements, the EE must be provided with a fire alarm input, thus providing a system override during a fire emergency. All Detex Delayed Egress Systems are provided with regulated and filtered power supplies. Ideal for retail stores, healthcare, assisted-living facilities, childcare, sports arenas and any location where a special locking delayed exit is required to prevent theft or to protect those trying to exit.

www.detex.com
Select eInquiry #537

LOCKONE® LKM7000 Series Pedestrian Door Lock

The LOCKONE® LKM7000 Series is a revolutionary locking device that provides both high security and life safety in one Pedestrian Door/Deadbolt Lock Series. This series meets Federal Specification FF-L-2890, is DoD and UL approved. This LOCKONE® Series is also ADA (Americans with Disabilities Act) and UFAS (Uniform Federal Accessibility Standards) compliant. Typical applications include SCIF Doors, Communication Rooms and Laboratories, Weapons Storage, Strong Rooms and more. Our LOCKONE® LKM7000 Series was introduced to eliminate situations where security can compromise life safety. One single motion guarantees exit while the built-in features provide the highest level of security possible. Remember, don't compromise life safety for security, you can have both with the LOCKONE® LKM7000 Series Pedestrian Door Lock from LOCKMASTERS. **www.lockmasters.com**
Select eInquiry #538

LOCKMASTERS
INCORPORATED
The Professional's Choice
800.654.0637 fax 859.885.1731
SHOP www.lockmasters.com
High Security Locking Solutions
LOCKONE
LKM7000 Series
Pedestrian Door Locks
NFPA 101
Meets DOD Requirements
For use in Means of Egress and SCIF Doors
Single Motion Egress
Electronic Access Control Compatibility
Bolt Sensor for Increased Monitoring Capabilities
ADA Compliant Lever Handle
UL Fire Rated
Key Override Option
Deadbolt Locking System
PUSH
Now with 90 min. fire rating!
Self Contained
High Security Door Package Solutions
Our high security door package solutions are fabricated to your exact specifications, from the hinges to the locks. No matter what you need, we can provide it in one, self-contained, trouble-free package solution.
Our expert staff of hardware installers assures your door is made to your exact specifications.
An ST C50 3070 door slab with an LKM7000309 lock installed.
Your door and all hardware is crated and shipped in one convenient package.
Our door package makes your job easier...
Trilogy Electronic Stand Alone Lock
Kaba Mas X-09™ High Security Lock
S&G 2740 High SecurityLock

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #404 for more information

Corbin Russwin FE5400S Multi-Point Exit Device Latching System

The Corbin Russwin FE5400S is a robust three-point latching system engineered to help protect lives by securing community shelter entries.

Extra-heavy duty steel components secure the door to the frame — at the top, bottom and center latch points — fortify the opening to withstand extreme wind speeds and flying debris. The FE5400S is ideal for doors located in community shelters and safe rooms, corporate campuses, schools, healthcare facilities and government facilities.

The FE5400S is UL Listed and certified in accordance with FEMA 361 and ICC 500 and has a UL 3-hour fire rating.

Available with a variety of trim styles and finishes, it uses through-bolts on the door for solid attachment and is fortified with high tensile alloy Holo-Krome® fasteners. FE5400S is part of a complete ASSA ABLOY tornado and hurricane shelter solution utilizing Ceco StormPro® 361, Curries StormPro® 361, Fleming F-5 doors and frames and McKinney® SP hinges.

Select eInquiry #539

Corbin Russwin®

ASSA ABLOY

www.corbinrusswin.com

SARGENT® Harmony Series Online Integrated Wiegand Access Control

The SARGENT Harmony Series Online Integrated Wiegand Access Control Solution offers big features in a small, well-styled lock. SARGENT ANSI/BHMA Grade 1 hardware and integrated access control components are beautifully presented in the Harmony Series. Harmony is in tune with the aesthetic needs of the architect, and provides high security and ease of installation for the facility manager.

The Harmony Series has consolidated all standard access control components into the lock — including the card reader, door position switch and request-to-exit monitoring sensors. This dramatically reduces installation time and ensures a clean, streamlined appearance, maintaining the architectural integrity around the door.

Available in bored lock, mortise lock, and exit device configurations, the Harmony Series offers maximum safety with HID® 125 kHz prox or 13.56 MHz iCLASS® card readers and full monitoring capabilities. It provides a simple solution for access control systems by using a direct Wiegand output, eliminating the need for an interface panel. An open architecture platform offers compatibility with all popular access control systems. Designed to blend into any environment flawlessly, the series is available with SARGENT Studio Collection decorative levers and 13 finishes.

Select eInquiry #540

SARGENT®

ASSA ABLOY

www.sargentlock.com

Smartcard Lockset

Digitlocks Inc.'s ADEL FLEX US-2 smartcard lockset is designed to satisfy a wide variety of applications in commercial, industrial, institutional and residential applications. Easily installed on a new or retrofit door with a standard cylindrical lockset preparation, the US-2 offers 2 3/8" or 2 3/4" backset deadlocking latchbolts with reversible levers and a lever-concealed key cylinder for card-free access, or a 1" deadbolt with ovular shaped knobs and exposed key cylinder. An optional ANSI Grade 1 cylindrical chassis and UL latch set is available which requires an additional drilled hole for the battery cable. The FLEX US-2 provides memory for 98 smartcards, fobs, or remote control devices. The card technology is based on the ISO 14443A Mifare smartcard standard.

www.digitlocks.com

Select eInquiry #541

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #405 for more information

Optex iSeries AX-200TFRi Wireless Outdoor Photobeam Detector

Optex has partnered with Inovonics to provide a ready-to-install wireless solution for perimeter protection. The new iSeries AX-200TFRi is a 200-ft. photobeam detector that includes Inovonics EchoStream EN1941 transmitters and batteries already installed. The batteries last 3 years on the 200-ft. model and 5 years on the AX-100TFRi, a 100-ft. model. The wireless photobeams are a perfect way to lower labor costs and installation time due to the ability to set up a secure perimeter without having to trench or run wire.
www.optexamerica.com
Select eInquiry #542

WDE EasyKits

The WDE EasyKits from Detex provide a secure 2-point locking system with 15-second delay and 100dB alarm when someone attempts to exit. The WDE EasyKit is designed for outdoor applications and perfect for garden center gates, amusement parks, sports arenas and any location exposed to weather or moisture where delayed exit is required. Although ideal for retail, helping prevent theft, and in applications such as outdoor child-care and assisted living homes, WDE EasyKit can also be used to help protect those trying to exit. Use a standard WDE EasyKit such as WDEx10EXx1S-1 or call to create your custom EasyKit, all EasyKits include best in class components and easy to follow wiring and riser illustrations. **www.detex.com**
Select eInquiry #543

Perimeter Security Platform

Ameristar's high security fence systems combine deter, detect and delay elements into a single-source solution, uniting each component to form the industry's only integrated perimeter security platform. With the capability of housing multiple security devices, Ameristar's Perimeter Security Platform (PSP) eliminates "patchwork" systems and allows multiple technologies to be integrated into one holistic system. Think of the PSP as the structural foundation or backbone of your facility's site security plan. By taking security "out to the curb," PSP not only creates a formidable first line of defense for your facility, but its single-source design is perfect for coordinating and implementing access control, intrusion detection, security lighting and video surveillance equipment.
www.ameristarfence.com
Select eInquiry #544

Perimeter Security Tower

Chase Security Systems' model CT 60176 tower provides a variety of functions in areas such as building entrances and parking garages. The tower is uniquely designed to house three cameras which can monitor inbound and outbound traffic or focus on specific details such as license plates or driver faces. In addition to cameras, the tower can be used to house HID card readers, intercoms, keypads and other access control devices. The CT 60176 stands 60" tall by 17" wide with a depth of 6". Each face of the tower measures 7" wide. It can be finished in colors such as black or white as well as red or yellow for enhanced visibility.
www.chasesec.com
Select eInquiry #545

Perimeter Security Design Tool

SightLogix has unveiled SightSurvey, a Web-based perimeter security design tool that enables security professionals to quickly and easily model a video intrusion detection system using the Google Maps depiction of the actual site. The tool uses an intuitive interface to convert security requirements into camera locations, ensuring that an entire perimeter is protected. It visually displays each camera location and corresponding field of view to show its area of automated detection coverage, enabling analysis of areas of vulnerability and response times for security events. Integrators can place intelligent cameras easily, set pole heights, and choose visible or thermal intrusion detection cameras based on the application.
www.sightlogix.com
Select eInquiry #546

SECURE YOUR PERIMETER WITH A SECURITY PLATFORM

AMERISTAR MANUFACTURES THE ONLY HIGH SECURITY FENCE FRAMEWORK THAT SUPPORTS TOTAL SECURITY SYSTEMS INTEGRATION.
• COMMUNICATION & VIDEO CABLES • IDS / FIBER OPTIC CABLES
• ACCESS CONTROL WIRING & CONDUITS • ANTI-RAM CABLING

WIREWORKS

ARCHITECTURAL WELDED WIRE FENCING

MATRIX

MODULAR ENCLOSURE SYSTEMS

IMPASSE

STEEL PALISADE HIGH SECURITY FENCING

AMERISTAR FENCE PRODUCTS
1555 N. MINGO RD.
TULSA, OK 74116

AMERISTARFENCE.COM

PH. 866-467-2773
SECURITY@AMERISTARFENCE.COM

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #406 for more information

ALARMS & INTRUSION DETECTION

Wireless Security System

The XTL™ Wireless Security System from DMP is the fastest-installing traditional (distributed) panel available, perfect for almost every residential and small to medium commercial installation. Features found in the panel and a broad selection of DMP two-way wireless devices make it possible for one technician to complete a full, typical installation in less than two hours. The compact XTL is the smallest DMP panel ever, but it is packed with popular features such as remote system control. The cellular capability lets users receive alerts and send system commands via SMS text messages. It is equipped with cellular communications, and includes 30 user codes with authority levels, 28 wireless zones and 100-event memory. It supports up to six areas, four two-way wireless keypads, and eight fobs. **www.dmp.com**
Select eInquiry #546

Mini Overhead Contact Available



The Tane 86 overhead garage door contact is a floor mount mini in size. Dimensions are 2 ¼" long by beveled 3/8" high. This allows the installer to mount the contact out of the way in warehouse applications. The overall gap is almost 3 inches with a leeway for the magnet to go 2 inches off center if the door moves in or out as a result of a storm. The contact is bar cast aluminum with no epoxy on the underside to deteriorate over time. The magnet housing is angled to not allow it to be used as a step for closing the door. The TANE-86 comes with commercial grade flexible armored cable. This design allows a unique use for normal doors in commercial applications by mounting the contact on the door frame and magnet on the door, thus making it hard for vandals to abuse. Tane offers a $50 lifetime warranty. For more information go to **www.tanealarm.com** or call 800 852-5050.
Select eInquiry #548

TANE ALARM PRODUCTS
"We Contact The World"

NAPCO COMMERCIAL™ Combo Burg/Fire or Commercial Fire Systems

Coming to a distributor near you soon, the all-new Napco Commercial Platform — a full line of Commercial Fire or Combination Burglar/ Fire Systems configurable for Wireless, Hardwire, Analog, Addressable or Conventional technology devices.

Meticulously engineered to plain do more, the NAPCO Commercial Platform includes built-in labor savings, incredible power, and feature-rich value that's easy for dealers to plan out and standardize on for 255, 128 or 32 points of commercial wireless, analog addressable and/or 12V conventional installations and is fully compliant with the most rigorous industry standards including UL864 9thEd, NFPA72,SIA CP01 and more.

Knowing what a real-world installation requires, the system features more built-in value-adds: 7Amps of power, 4 NACs (expandable), dual line DACT and strobe/horn synch module. More handy features include easiest AHJ calcs: up to 32AH standby separate for burglar and fire; and remote/onsite uploadable analog smoke sensitivity reporting.

The line includes a full complement of peripherals and wireless, analog, addressable and conventional devices listed for use with it, plus NAC extenders and 24V & 12V Regulated Power Supplies backward compatible for all Gemini Control Panels.

Ask for the NAPCO Commercial Platform, Gemini-C-Series Combo. Fire/Burg/Access and Firewolf 24V Commercial Fire Systems at a Napco distributor near you. Nationwide trainings are forming soon For more info call Napco 1-800-645-9445 or follow the link below.
Select eInquiry #506

NAPCO COMMERCIAL
FIREWOLF GEMINI-C
COMBINATION

www.napcosecurity.com/NapcoCommercial.html

Wireless Environmental Monitoring

Winland Electronics Inc.'s EnviroAlert EA800 wireless environmental monitoring solution enables companies to monitor and automatically log data from up to eight distinct sensors (four wireless and four hardwired) for critical environmental conditions including temperature, humidity, water and dry contacts. Significant new features include data logging, wireless sensors, and 4-20 mA sensors, making it an ideal solution for food service organizations, convenience and grocery stores, greenhouses, commercial businesses, specialty retail stores, medical/pharmaceutical firms and residential applications. A graphical LCD display makes the unit easy to program and use with minimal end-user training. Wireless sensors include humidity, temperature and multi-function which will accept temperature, water, power and dry contacts. The wireless sensors install faster and make it easier to monitor difficult-to-reach areas. **www.winland.com**
Select eInquiry #547

Bury Your Contacts



Tane Alarm's "PILL" Contacts alleviate headaches caused by tight fitting window applications. The TANE-PILL comes in side or center leads as well as terminal connects. Its size is a sleek, low-profile width of .20" x .39" wide x 1.10" long. It not only looks good on the surface of a window but works best buried in a window sill where you cannot drill due to window warranty issues. Now you have a contact that looks good on the surface or can be hidden in windows. Leaded versions include 18" 22AWG standard (with longer wires available). Gap is 3/4". Extra vent magnets are available. TANE's Pill group comes with its signature $50 lifetime warranty on service calls. Free samples are available by emailing info@tanealarm.com, or by calling 800-852-5050. See **www.tanealarm.com**.
Select eInquiry #551

TANE ALARM PRODUCTS
"We Contact The World"

TANE-96 EZ Mount Bi-Direction Wide Gap Track Contact

Tane Alarm's fast track mount contact, the TANE-96 is bi-directional meaning the cable coming from the contact can be mounted from the left or right by repositioning the switch on its assembly with 2 screws. Installation on this commercial grade Tane contact takes under 2 minutes by simply sliding the track open and then pushing it in place and tightening one simple bolt. Gap on the contact is 2 ½" featuring a minimum dead zone due to the use of 2 long life reed switches in the place of the contact side. High quality is ensured with a $50 lifetime warranty if a service call is required. For more information go to **www.tanealarm.com**, info@tanealarm.com or call 516 328 3351.
Select eInquiry #552

TANE ALARM PRODUCTS
"We Contact The World"

Optex iSeries VX-402Ri Wireless Outdoor Detector

Optex has partnered with Inovonics to provide a ready to install wireless solution for stable outdoor detection. The new iSeries VX-402Ri is a 40' x 40' outdoor PIR detector that comes with an Inovonics EchoStream EN1941 transmitter and battery already installed in the sensor. The detector is a perfect way to lower labor costs and installation time while protecting storage yards, rooftops, construction sites and anywhere else extremely reliable outdoor detection is required. **www.optexamerica.com**
Select eInquiry #549

INTEGRATED SYSTEMS

Video-Centric PSIM

Ocularis, OnSSI's non-proprietary, open architecture IP Video management platform is a video-centric PSIM that enables the detection and distribution of video events and related data and alerts from a host of physical security and transaction systems. Users have the flexibility to incorporate any best-of-breed recorders, including the supplier's NVRs, along with IP and analog cameras by any leading manufacturer. With significant advancement in human engineering, the system's touch-screen-enabled, map-based interface, delivers powerful investigation tools providing immediate access, analysis and response to captured events.
www.onssi.com
Select eInquiry #554

Enterprise System for Mid-Size Installations

Milestone Systems' XProtect Professional version 7.0 is designed for mid-sized installations needing single-server surveillance software with full functionality. The software provides advanced management, flexible scheduling, fast searching and video analysis. Integration with third-party Milestone Solution Partners also enables value-adding options using video analytics, access control or other security and business systems. The software supports up to 64 cameras simultaneously, with a wide choice of video hardware: more than 885 models of network cameras and encoders from 80-plus manufacturers. Other features include: A new and intuitive management application for easy system maintenance and control; Configuration wizards and auto device discovery for fast camera setups; and a user-friendly interface.
www.milestonesys.com
Select eInquiry #555

EasyKit Systems

The Detex EasyKit catalog number specifies everything you need for virtually any application, with one price and no problems. Illustrated here is the AODx10ERx1S-1 Automatically Operated Door EasyKit, which integrates the Advantex latch retraction exit device with Detex's low-energy, automatic operator with pre-wired, built-in latch retraction power supply. Also included are two wireless ADA activation buttons, a power transfer, code-compliant signage and an easy-to-follow wiring diagram, helping make installation easy and mistake free. The Detex AODx10ERx1S-1 was designed by our customers for applications at assisted living homes, airports, healthcare, shopping centers and any application where access control and a low-energy, automatic operator is required. Choose a pre-wired EasyKit System, or work with Detex to create your custom EasyKit. **www.detex.com**
Select eInquiry #556

Scalable Video Control Center

IndigoVision's Control Center is a highly scalable application that allows local and remote control of a CCTV system, from an entry-level system with a small number of cameras to a large installation with several hundred. Control Center enables local and simultaneous remote monitoring, viewing and recording across multiple sites, regardless of geographical location. It works with other third-party analog-based CCTV components, including cameras, monitors, keyboards and PTZ units. The system also supports motion detect, binary and video loss alarms. Recordings from up to 25 cameras can be played back simultaneously, and up to 64 live video streams can be viewed from one PC, using up to four monitors. **www.indigovision.com**
Select eInquiry #557

Situation Management with GIS Capability



NICE Systems Ltd. and geographical information system (GIS) software provider Esri have partnered to enhance NICE's Situator situation management system with Esri's GIS capabilities. The new integrated solution will serve the security operations needs of seaports, airports, public transport, railways, city centers, military organizations, as well as enterprises. The integrated solution combines Situator's data fusion, analysis and automated response capabilities, with spatial analysis, data management and GIS mapping, to improve situational awareness and real-time situation management. The system correlates data from diverse security, safety and operational systems, alerting operators in real-time to incidents that require attention. All of the relevant information is then overlaid on an intuitive GIS interface, so control center operators can visualize situations in a geographic context. **www.nice.com**
Select eInquiry #558

ADEL
Advanced Digital Electronic Locks
ADEL® APEX
Authenticated Access Control at your Fingertips
Fingerprint Reader + Audit = Authenticated Access Control
ADEL® FLEX
The Industry's Newest Smart Card Lockset
for Standalone Applications
Smartcard + Smartlock = Smart Access Control
• Available in both Leverset with Deadlocking Latchbolts and Handleset with Deadbolt
• Easy On-Lock Programming
• Key Bypass Feature for Code-Free Access
• EASY INSTALL—NEW OR RETROFIT
• Available with UL Listed 33 Deadlocking Fire Latch or 33 Deadbolt
• Ultra-Premium Quality Biometric Lockset
• Privacy Lockout / Long Term Sequentiality of Users
• Master Code, 1-Time Code, Key Bypass, Non-handed
• EASY INSTALL - NEW OR RETROFIT - STANDARD PREP
• Available with UL 33 Fire Latch Leverset or 33 Deadbolt Lockset
• ANSI Grade 1 Chassis and Latch Option
DIGIT™
digital locks for today's digital world
sales@digitlocks.com | 714.465.4580
Visit www.securityinfowatch.com/ste/einquiry and select einquiry #407 for more information

LOCKS, KEYS & AUTOMOTIVE

BOLT Lock Family

Say goodbye to cluttered key chains, forgotten combinations, and lost keys! STRATTEC now offers a complete family of BOLT Locks. You can customize as many locks as you want to work with ONE key — your vehicle key. Users simply select a GM, Ford, or Chrysler compatible lock, insert and turn their vehicle key, and the lock will be permanently coded to their key. The BOLT family of locks features a padlock, ½" and 5/8" receiver locks, 6" cable lock, spare tire lock and motorcycle wheel lock. All BOLT series locks feature a weather-resistant lock shutter, automotive-grade, 6-tumbler lock cylinder, and thousands more unique key-codes than standard padlocks. For more information, go to **www.BOLTLOCK.com**.
Select eInquiry #559

141/200 Integral Diskus Hasp

The German made 141/200 Integral Diskus Hasp from ABUS lock Co., has a revolutionary design which makes it ideal for use on double-wing doors for vans, trucks, gates and vending machines. The hardened steel hasp is covered with a thick Zinc plating which is then powder coated. All the mounting hardware and support plates are Eterna plated. This coating provides a 1-2 punch against the elements and provides superior rust and corrosion protection. The patented hardened steel case design protects the integrated padlock against physical attacks. The 26/70 Diskus™ Padlock offers added protection against physical attack with a hardened steel shackle and drill plate. The padlock body is made form 100% stainless steel and all internal components are made from brass and stainless steel for maximum corrosion protection. **www.abuslock.com**
Select eInquiry #560

ABUS

SALTO XS4 Locker

The SALTO XS4 Locker lock delivers a high level of security protection for lockers and cabinets.

Most lockers and cabinets are supplied with very basic mechanical locks that offer little in the way of resistance to thieves. XS4-Locker solves this problem by offering the latest in state-of-the-art electronic access control technology in a low-cost, simple retro-fit format.

Upgrading from an existing mechanical lock is quick and easy. The old lock is removed and the XS4-Locker simply fitted in its place. No wiring is required, power is supplied by 3 AAA or optional lithium batteries good for 30,000 openings, and its exterior dimensions are a compact size, ensuring a neat fit and professional appearance.

An ergonomically designed twist-operated locking handle makes for easy use, even with wet hands, and its durable, wipe-clean construction makes it highly resistant to chemicals, UV radiation and physical wear and tear, ensuring a long-lasting, smart appearance.

The ID credential — key card, wristband, key fob or bracelet — is simply presented to the reader and XS4 Locker will grant or deny access. A family option allows for multiple ID credentials to operate a single locker and its built-in audit trail facility automatically records the last 1,000 operations.
Select eInquiry #561

SALTO
inspiredaccess
www.saltosystems.com

The BEST in Security Just Got BETTER!

LSI LOCKMASTERS SECURITY INSTITUTE

Has Joined Forces With

TOSS tactical operations support services

Our joint venture with TOSS, the leader in tactical training & support now allows us to tailor courses to meet your mission-specific/geographic training objectives with operationally viable tools inclusive with each course. - *Absolutely Unmatched Training!*

2 LOCATIONS

For more info visit: LSI-TOSS.com

TOSS • 13576 Minnieville Rd. • Woodbridge, VA 22192
Lockmasters Security Institute / LSI • 1014 South Main St. • Nicholasville, KY 40356

866.574.8724

GM Side Mill Locks

With the introduction of the 2010 Camaro, General Motors begins its transition to side mill (sidewinder technology). This technology has been used for several decades in Europe and on a number of vehicles sold in North America. STRATTEC Security Corp. has been awarded this vehicle and will make these and other side mill keys, locks and tumblers available though the locksmith distributor channel. In addition to the Chevrolet Camaro, for the 2010 model year, STRATTEC will be manufacturing side mill locks for Chevrolet Equinox and the Buick LaCrosse. General Motors is expected to introduce a number of new models over the next several years. For more information, contact your local locksmith distributor or go to http://aftermarket.strattec.com.
Select eInquiry #562

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #408 for more information

Grand Master Z-Tool System

The Grand Master Z-Tool System from Slide Lock Tool Co. Inc., is the most comprehensive yet easiest to use automotive lock out system available in the industry today. With over 25 years of tried and tested research using only the finest materals available the Z-Tool System has only 14 tools which unlocks the whole history of cars and trucks. Our instruction manual is fully illustrated, easy to use, fits in one hand and has no equal. In the competitive market of automotive lockouts MORE IS NOT BETTER! We believe in our motto: KEEP IT SIMPLE. For more information please visit our web site at **www.z-tool.com** or call us at 800-336-8812.
Select eInquiry #563

Ford 40 and 80 Bit Key Blanks

Ford has introduced 80 bit transponder technology for a number of their 2011 model vehicles. The 80 bit technology expands the operational capabilities while increasing the security features. This technology is available as a plastic head IPATS key blank and as an IKT key blank. To identify the difference between the 40 and 80 bit transponder keys, the STRATTEC 80 bit key blanks will have the letters "SA" stamped on the blade and the 40 bit key blanks have the letter "S" stamped on the blade. Vehicles equipped with the new 80 bit technology cannot be operated using a key with a 40 bit transponder. STRATTEC will offer both the 40 and 80 bit key blanks by specific application for your convenience. For specific applications, go to **http://aftermarket.strattec.com**.
Select eInquiry #564

Keyless Cabinet Lock

CompX Timberline's StealthLock is an innovative, keyless cabinet lock operated by radio frequency technology. Radio frequency enables multiple wood cabinet doors or drawers to be locked from a single transmitter pad within a 15-foot range, giving a clean and hardware-free design. The unit is available in two versions: standard or dedicated. Standard version allows any transmitter pad to operate any receiver latch and can be used in most general office or residential applications. Dedicated version (factory-programmed) mates a transmitter pad to a receiver latch, or latches, by way of a unique transmitter ID, which is ideal for assigned lockers or when users are within close proximity of each other. **www.compx.com**
Select eInquiry #565

Visit www.securityinfowatch.com/ste/einquiry and select einquiry #409 for more information

FIRE & LIFE SAFETY

Analog/Addressable Fire Panel

Bosch Security Systems Inc. has introduced a new generation of its FPA-1000-UL Analog/Addressable Fire Panel that now includes support for up to 508 addressable devices. Using two analog addressable loops, the panel has doubled its capacity to support larger applications, such as schools, warehouses and office buildings. Innovative enhancements to the panel's built-in Web interface have also made operation easier and more secure. New features such as online help and an offline configuration tool make provisioning easier and more efficient for customers. Its Web server and set of interactive Web pages provide an instant means to access important system functions, including status, history files, diagnostic tools and test data. The upgraded panel also features additional flexibility for programming parameters, such as the ability to activate smoke detector sounder bases by zone and support for "smart" analog devices. **www.boschsecurity.us**
Select eInquiry #566

Fire/Life Safety Commercial Platform

NAPCO Security Technologies Inc., recently introduced its Napco Commercial Platform, which includes the GEM-C Commercial Burglary and Combination Burglary/Fire and Firewolf 24V Addressable Systems. The easy-to-standardize comprehensive platform comprises the NFPA72-compliant Firewolf 24V Intelligent Addressable Fire Panel, NAC Extender, Firewolf Addressable Commercial Devices, Regulated Aux. Power Supplies and Addressable/Conventional Burglary and Combination Burg/Fire System, boasting UL864, 9th Edition compliance. The platform for 24V commercial fire, burglary or combination burglary/access/fire, supports from 8 up to 255 zones, boasts up to 7 amps and 4 on-board NACS, has 7 partitions, and includes a built-in strobe/synch module, 28AH battery capacity, more standby power, and a regulated 24V output plus all new fire and burglary devices in hardwire, wireless, conventional and addressable technologies. **www.napcosecurity.com**

Select eInquiry #567

Early Warning Fire Detector

System Sensor's very early warning fire detector, the FAAST Fire Alarm Aspiration Sensing Technology, draws air samples into its sensor through a pipe network. This allows the detector to provide accurate detection in challenging environments, such as those with extreme conditions or with tampering or aesthetic concerns. The unit's smoke detection performance is built around its unique Dual Vision sensing technology. This sensor uses an extremely sensitive blue LED to provide Very Early Warning Fire Detection up to 60 minutes before combustion. The sensor also uses an infrared laser to identify nuisances like dust that can cause false alarms and downtime. The detector interprets signals from both sources to provide the earliest and most accurate warning of the widest range of fires available. **www.systemsensor.com**
Select eInquiry #568

Fire Alarm Indicator Panel



VES Fire Detection Systems has launched the eMATRIX System, which provides a clear, geographical indication of fire alarm activation, enabling speedy identification of the source of an alarm. The product uses flexible, optic light guides to illuminate areas on a floor plan, laid over a high-resolution grid. The system dispenses completely with wiring and enables indicators to be moved, removed or added on site without the need for any wiring. All indicators can be configured to operate on any event type and at point, zone or group level via the unit's Loop Explorer configuration or ESP Discovery. The product can be supplied with or without LEDs and controls. Optional LEDs indicate Power on, Fire, Trouble and Disablement and optional controls are for Alarm silence, Buzzer silence, Lamp test and Reset. **www.ves-network.com**
Select eInquiry #569

EMERGENCY COMMUNICATIONS

Multi-Layered Mass Notification



WEBS Contact is Talk-A-Phone's Mass Notification software that uses an integrated multi-layer approach to contact a population of any size with site-specific instructions through a variety of notification mediums. The software enables exterior and interior paging units, emergency phones, SMS, e-mail, RSS, LED Signage, giant voice and other technologies previously viewed as independent notification mediums to be encompassed into a comprehensive crisis management solution under one platform. The software enables emergency personnel to develop pre-programmed crisis response scenarios for situations such as environmental incidents, natural disasters, workplace violence and terrorist activity. **www.talkaphone.com**
Select eInquiry #570

In-Building Mass Notification System

Cooper Notification, a platform of Cooper Safety, has launch of its In-Building Mass Notification System (MNS) solution, SAFEPATH MNS (SPMNS), which meets the new Underwriters Laboratories (UL) standards for MNS. Compliant with UL 2572 and NFPA 72 2010 codes, the MNS integrates with a facility's addressable fire alarm system (FAS) for a complete In-Building MNS solution that performs both fire alarm and emergency communications functions. The SPMNS provides personnel and building occupants with intelligible live and pre-recorded voice messages that communicate what to do in response to an emergency. The system features a modular and flexible design to meet the functional requirements of Emergency Response Plans as well as the complexities of the new codes. **www.coopernotification.com**
Select eInquiry #571

Indoor/Outdoor Siren

Potter Electric Signal Company's Amseco SSX-52 Series Indoor/Outdoor Siren offers a new innovative look and design to improve overall performance and aesthetics of the installation. A durable, polycarbonate housing is attached to a sturdy aluminum back plate. The aluminum back plate offers greater protection against vandal attacks and does not warp or crack during installation. An optional strobe comes in the distinct colors of amber, red, clear, and blue. The strobe uses a matched mirror and lens to provide a light color that is distinguished easily in dark and light environments. Other features include a 120dB warble tone sound output and dual-action tamper that protects from cover removal or rear plate removal. **www.pottersignal.com**
Select eInquiry #572

Wide-Area Audible Notification

Gamewell-FCI by Honeywell has has expanded its portfolio of emergency communications systems to include a line of wireless and hardwired audible notification solutions for wide area (outdoor) applications. High-powered speaker and siren systems, developed by Acoustic Technology Inc. (ATI Systems), deliver continuous tone alerts and intelligible voice announcements. Designed to site-specific requirements, the systems can provide fast, supervised communications over a choice of hardwired media or wireless technologies, including radio frequency, IP-Ethernet, mesh radio and satellite. The amplification power and affordability of this wireless technology make it ideal for military, university, industrial, commercial and community properties. **www.gamewell-fci.com**
Select eInquiry #573